

MADE IN ITALY. MADE TO EXCEL.

MARVEL

ONYX

Interactive version



 atlas concorde

September 2023

MARBLE LOOK

**PORCELAIN TILES
GRES PORCELLANATO**
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com



MARVEL

ONYX

Index

- ⇄ [Inspiration](#)
- ⇄ [Image Gallery](#)
- ⇄ [Surface Range & Technical Specification](#)



Inspired by lightness

INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO



The modern soul of onyx.





Unique brightness.




The excellence of Marvel style.







White



Noir




Alabaster



Pearl



Quartz



Sky

INSPIRATION >

IMAGE GALLERY >

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO



Elegance goes premium.



INSPIRATION >

IMAGE GALLERY >

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO

Image Gallery

↔ **Penthouse**
White | Noir



↔ **Concept Store**
Pearl | Noir



↔ **Flagship Store**
Pearl | Noir | Sky



↔ **Hotel**
Alabaster | Noir | Quartz



↔ **Hotel Bathroom**
Noir | White



↔ **Bathroom**
Alabaster





FLOOR
Marvel Onyx White
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx White
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
**Atlas Plan
 Onyx White**
 Polished
 162x324 cm | 63³/₄"x127¹/₂"

INSPIRATION




IMAGE GALLERY



- PENTHOUSE
- CONCEPT STORE
- FLAGSHIP STORE
- HOTEL
- HOTEL BATHROOM
- BATHROOM


SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO



HARMONIOUS DETAILS



FOR A DELICATE ELEGANCE



INSPIRATION



IMAGE GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





FLOOR
Marvel Onyx White
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx White
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Marvel Onyx Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"



FLOOR
Marvel Onyx White
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"


WALL
Marvel Onyx White
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Onyx White
 Polished
 162x324 cm | 63³/₄"x127¹/₂"



- PENTHOUSE
- CONCEPT STORE
- FLAGSHIP STORE
- HOTEL
- HOTEL BATHROOM
- BATHROOM



FLOOR
Marvel Onyx
 White
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx
 White
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
 Onyx White
 Polished
 162x324 cm | 63³/₄"x127¹/₂"



White
Polished

INDEX



INSPIRATION



IMAGE GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





FLOOR
 Marvel Onyx Pearl
 Polished
 120x278 cm | 47 1/4" x 109 1/2"

WALL
 Marvel Onyx Pearl
 Polished
 120x278 cm | 47 1/4" x 109 1/2"

Marvel Onyx Noir
 Polished
 120x278 cm | 47 1/4" x 109 1/2"

SIDE TABLE | Contatto
 Atlas Concorde Habitat
 Black Lava
 Leathered
 ø 45 cm | 17 3/4"

INSPIRATION >

IMAGE GALLERY >

PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO



PRECIOUS DESIGN



FOR A DEEPER LIVING DIMENSION



INDEX



INSPIRATION



IMAGE GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





FLOOR
Marvel Onyx Pearl
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

WALL
Marvel Onyx Pearl
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Black Lava
 Leathered
 ø 45 cm | 17³/₄"



FLOOR
Marvel Onyx Pearl
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

WALL
Marvel Onyx Pearl
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto Atlas Concorde Habitat Black Lava**
 Leathered
 ø 45 cm | 17³/₄"



FLOOR
Marvel Onyx Pearl
 Polished
 120x278 cm | 47 1/4" x 109 1/2"

WALL
Marvel Onyx Pearl
 Polished
 120x278 cm | 47 1/4" x 109 1/2"

Marvel Onyx Noir
 Polished
 120x278 cm | 47 1/4" x 109 1/2"



FLOOR
Marvel Onyx
 Pearl
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

WALL
Marvel Onyx
 Pearl
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
 Black Lava
 Leathered
 ø 45 cm | 17³/₄"





FLOOR
Marvel Onyx Pearl
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Pearl
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Sky
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

DESK
Atlas Plan
Onyx White
 Polished
 162x324 cm | 63¹/₄"x127¹/₂"

INSPIRATION >

IMAGE GALLERY >

PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO





FLOOR
Marvel Onyx Pearl
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Pearl
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Sky
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

DESK
Atlas Plan
Onyx White
 Polished
 162x324 cm | 63³/₄"x127¹/₂"

A BREATH OF BEAUTY



GLIMPSE OF UNIQUE REFINEMENT

INDEX



INSPIRATION



IMAGE GALLERY



PENTHOUSE
CONCEPT STORE

FLAGSHIP STORE

HOTEL
HOTEL BATHROOM
BATHROOM

SURFACE RANGE &
TECHNICAL SPECS.



ENJOY THE VIDEO





FLOOR
Marvel Onyx Pearl
Polished
120x240 cm | 47 1/4" x 94 1/2"

WALL
Marvel Onyx Sky
Polished
120x278 cm | 47 1/4" x 109 1/2"

DEPTH OF SHADES



ENRICHED BY BRIGHTNESS



INSPIRATION



IMAGE GALLERY



PENTHOUSE
CONCEPT STORE

FLAGSHIP STORE

HOTEL
HOTEL BATHROOM
BATHROOM

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





Sky
Polished

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE

FLAGSHIP STORE

HOTEL
HOTEL BATHROOM
BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





FLOOR
Marvel Onyx Alabaster
 Polished
 120x240 cm | 47 1/2" x 94 1/2"

Marvel Onyx Noir
 Polished
 120x240 cm | 47 1/2" x 94 1/2"

WALL
Marvel Onyx Alabaster
 Polished
 120x278 cm | 47 1/2" x 109 1/2"

Marvel Onyx Noir
 Polished
 120x278 cm | 47 1/2" x 109 1/2"

DESK
Marvel Onyx Noir
 Polished
 120x278 cm | 47 1/2" x 109 1/2"

INSPIRATION >

IMAGE GALLERY >

- PENTHOUSE
- CONCEPT STORE
- FLAGSHIP STORE

HOTEL

- HOTEL BATHROOM
- BATHROOM

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO ▶

NATURAL SENSATIONS



SHAPING MEMORABLE MOMENTS



INDEX



INSPIRATION



IMAGE GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





FLOOR
Marvel Onyx Alabaster
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Alabaster
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

DINING TABLE | **Brooklyn 75**
Atlas Concorde Habitat
Boost Tarmac
 Hammered
 240x100 cm | 94¹/₂"x39³/₈"

BAR COUNTER
Marvel Onyx Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"



FLOOR
Marvel Onyx
 Alabaster
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

Marvel Onyx
 Noir
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx
 Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

DINING TABLE | **Brooklyn 75**
Atlas Concorde Habitat
 Boost Tarmac
 Hammered
 240x100 cm | 94¹/₂"x39³/₈"



FLOOR
Marvel Onyx Alabaster
Polished
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

DINING TABLE | **Brooklyn 75**
Atlas Concorde Habitat
Boost Tarmac
Hammered
240x100 cm | 94¹/₂"x39³/₈"



FLOOR
Marvel Onyx Noir
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

WALL
Marvel Onyx Quartz
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

ENCHANTING NUANCES



SPARKLE OF ESSENTIAL BEAUTY



INDEX



INSPIRATION



IMAGE GALLERY



PENTHOUSE
 CONCEPT STORE
 FLAGSHIP STORE

HOTEL

HOTEL BATHROOM
 BATHROOM

SURFACE RANGE &
 TECHNICAL SPECS.



ENJOY THE VIDEO





FLOOR
**Marvel Onyx
 Noir**
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

WALL
**Marvel Onyx
 Quartz**
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

**Marvel Onyx
 Noir**
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

SINK | Twin wall-mounted
**Atlas Concorde Habitat
 Marvel Onyx Quartz**
 Polished
 278x50x15 cm | 109¹/₂"x19⁵/₈"x5⁷/₈"



Quartz

Polished

INDEX



INSPIRATION



IMAGE GALLERY



PENTHOUSE
CONCEPT STORE
FLAGSHIP STORE

HOTEL

HOTEL BATHROOM
BATHROOM

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





FLOOR
Marvel Onyx Noir
 Polished
 120x240 cm | 47¹/₄"x94¹/₂"

Entice Browned Oak Natural
 Grip
 20x120 cm | 7⁷/₈"x47¹/₂"

WALL
Marvel Onyx White
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Onyx White
 Polished
 ø 45 cm | 17³/₄"

SINK | Sit on basin
Atlas Concorde Habitat
Marvel Onyx Noir
 Polished
 65x50x15 cm | 25⁵/₈"x19⁵/₈"x5⁷/₈"

TOP
Atlas Concorde Habitat
Marvel Onyx Noir
 Polished
 190x50x15 cm | 74³/₄"x19⁵/₈"x5⁷/₈"

SHELF
Atlas Concorde Habitat
Marvel Onyx White
 Polished
 190x35x5 cm | 74³/₄"x13³/₄"x2

INSPIRATION >

IMAGE GALLERY >

PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO ▶

A TALE MADE BY LIGHTNESS



ECHO OF TIMELESS EMOTIONS



INDEX



INSPIRATION



IMAGE GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





FLOOR
Marvel Onyx Noir
Polished
120x240 cm | 47¹/₄"x94¹/₂"

Entice Browned
Oak Natural
Grip
20x120 cm | 7⁷/₈"x47¹/₄"

WALL
Marvel Onyx White
Polished
120x278 cm | 47¹/₄"x109¹/₂"

Marvel Onyx Noir
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | Contatto
Atlas Concorde Habitat
Onyx White
Polished
ø 45 cm | 17³/₄"

SINK | Sit on basin
Atlas Concorde Habitat
Marvel Onyx Noir
Polished
65x50x15 cm | 25⁵/₈"x19⁵/₈"x5⁷/₈"

TOP
Atlas Concorde Habitat
Marvel Onyx Noir
Polished
190x50x15 cm | 74³/₄"x19⁵/₈"x5⁷/₈"

SHELF
Atlas Concorde Habitat
Marvel Onyx White
Polished
190x35x5 cm | 74³/₄"x13³/₄"x2





Noir
Polished

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE
CONCEPT STORE
FLAGSHIP STORE
HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO



FLOOR
Marvel Onyx Alabaster
Polished
120x120 cm | 47¹/₄"x47¹/₄"

Entice Ash Oak Natural
Grip
20x120 cm | 7⁷/₈"x47¹/₄"

WALL
Marvel Onyx Alabaster
Polished
60x120 cm | 23⁵/₈"x47¹/₄"

Marvel Onyx Alabaster
Polished
120x278 cm | 47¹/₄"x109¹/₂"

SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Marvel Gala Desert Soul
Polished
ø 45 cm | 17³/₄"

MASTERTOP
Atlas Concorde Habitat
Marvel Onyx Noir
Polished
190x50x15 cm | 74³/₄"x19⁵/₈"x5⁷/₈"

SHELF
Atlas Concorde Habitat
Marvel Onyx Noir
Polished
190x35x5 cm | 74³/₄"x13³/₄"x2

LUMINOUS SHADES



EMBRACE THE LIGHT



INDEX



INSPIRATION



IMAGE GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





FLOOR
Marvel Onyx
 Alabaster
 Polished
 120x120 cm | 47¹/₄"x47¹/₄"

Entice Ash
 Oak Natural
 Grip
 20x120 cm | 8"x47¹/₄"

WALL
Marvel Onyx
 Alabaster
 Polished
 60x120 cm | 24"x47¹/₄"

Marvel Onyx
 Alabaster
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

MASTERTOP
Atlas Concorde Habitat
 Marvel Onyx Noir
 Polished
 190x50x15 cm | 74³/₄"x19⁵/₈"x5⁵/₈"

SHELF
Atlas Concorde Habitat
 Marvel Onyx Noir
 Polished
 190x35x5 cm | 74³/₄"x13³/₄"x2



Alabaster
Polished

INDEX



INSPIRATION



IMAGE
GALLERY



PENTHOUSE

CONCEPT STORE

FLAGSHIP STORE

HOTEL

HOTEL BATHROOM

BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





Surface Range & Technical Specifications

- ↔ PORCELAIN TILES: A SAFE CHOICE
- ↔ MARVEL ONYX RANGE
- ↔ MARVEL WORLD
- ↔ TECHNICAL SPECIFICATIONS

INSPIRATION



IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECS.



SAFE CHOICE


COLLECTION RANGE

MARVEL WORLD

TECHNICAL SPECIFICATIONS & CERTIFICATIONS

ENJOY THE VIDEO





Porcelain tiles: a safe choice.

RECYCLABLE
Riciclabile

VERSATILE
Versatile

HYGIENIC
Igienico

FIREPROOF
Resistente al fuoco

SAFE
Sicuro

EASY TO CLEAN AND DISINFECT
Facile da pulire e sanificare

ECO-FRIENDLY
Rispetta l'ambiente

RESISTANT
Resistente

LONG LASTING
Dura a lungo

ZERO PVC
Zero PVC

INSPIRATION >

IMAGE GALLERY >

SURFACE RANGE & TECHNICAL SPECS. >

SAFE CHOICE

COLLECTION RANGE

MARVEL WORLD


TECHNICAL SPECIFICATIONS & CERTIFICATIONS

ENJOY THE VIDEO



Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретицированный в одном калибре



Floor & Wall Furniture

160x320* cm - 63 ³ / ₄ "x126"	± 6 mm	Polished ■						
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished	Polished	Polished	Polished	Polished	Polished	Polished
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Polished	Polished	Polished	Polished			
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Polished	Polished	Polished	Polished			
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 6 mm	Polished						
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished	Polished	Polished	Polished			
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Polished	Polished	Polished	Polished			



Countertops Furniture

162x324* cm - 63 ³ / ₄ "x127 ¹ / ₂ " > Non rectified - non rettificato	± 12 mm	Polished ■ Silk ■						
--	---------	----------------------	--	--	--	--	--	--

*Atlas Plan

■ Also available in bookmatch

The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

Destination of use **Color-shading**

M Polished ± 6/9 mm
HEAVY TRAFFIC

V3 Moderate Variation
 All colors



WHITE



PEARL



ALABASTER



NOIR



SKY



QUARTZ

INDEX



INSPIRATION



IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECS.



SAFE CHOICE

COLLECTION RANGE

MARVEL WORLD

TECHNICAL SPECIFICATIONS & CERTIFICATIONS


ENJOY THE VIDEO




Porcelain tiles 120x278 cm



Marvel Onyx White ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4" x 109 1/2"



Marvel Onyx Alabaster ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4" x 109 1/2"




Marvel Onyx Pearl ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4" x 109 1/2"



Marvel Onyx Noir ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4" x 109 1/2"



Marvel Onyx Sky ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4" x 109 1/2"



Marvel Onyx Quartz ⁽¹⁾ ⁽²⁾
120x278 cm - 47 1/4" x 109 1/2"



⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns. - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur des caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. - Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

⁽²⁾ Minor misalignments in the continuity of the veins between different graphics is normal for this type of product. - Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité des veines entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Eventuelle kleine Versätze im Verlauf der Äderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. - Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. - Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

INSPIRATION

IMAGE
GALLERYSURFACE
RANGE &
TECHNICAL
SPECS.

SAFE CHOICE

COLLECTION RANGE

MARVEL WORLD

TECHNICAL SPECIFICATIONS
& CERTIFICATIONSENJOY THE
VIDEO

MARVEL MERAVIGLIA

MARVEL ONYX

MARVEL X

MARVEL GALA

MARVEL TRAVERTINE

MARVEL SHINE

MARVEL DREAM

MARVEL EDGE

MARVEL STONE

MARVEL GEMS

MARVEL PRO

MARVEL

MARVELWORLD


 DOWNLOAD
 MARVEL WORLD
 CATALOGUE

A world of emotions

Marvel World encompasses all the marble-look surfaces of Atlas Concorde in a single tool capable of offering ample creative potential: a complete stylistic project for inspiration, color range, and availability of formats and decors.

Marvel World racchiude tutte le superfici effetto marmo di Atlas Concorde in un unico strumento in grado di offrire ampie potenzialità creative: un progetto stilistico completo per ispirazione, ampiezza cromatica e disponibilità di formati e decori.



THANKS TO



Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. / Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. / Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. / Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. / Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. / Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. / I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. / Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. / Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. / Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. / Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. / Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. / Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. / Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. / Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. / Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.



Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group Bla
 Compliant with standards ISO 13006 annex G group Bla
 Conforme alla norma EN 14411 Appendice G gruppo Bla
 Conforme alla norma ISO 13006 Appendice G gruppo Bla

Gres porcellanato - Rettificato monocalibro

160x320 cm - 63"x126" ± 6 mm
 120x278 cm - 47 1/8"x109 1/2" ± 6 mm
 120x240 cm - 47 1/8"x94 1/2" ± 9 mm
 120x120 cm - 47 1/8"x47 1/8" ± 9 mm
 60x120 cm - 23 3/8"x47 1/8" ± 6 mm
 60x120 cm - 23 3/8"x47 1/8" ± 9 mm
 60x60 cm - 23 3/8"x23 3/8" ± 9 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles	
		7 cm ≤ N < 15 cm	N ≥ 15 cm		Polished ± 9 mm	Polished ± 6 mm
Length and width Lunghezza e larghezza	ISO 10545-2	MM	(%)	(mm)	Suitable for Conforme	Suitable for Conforme
		± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.		
		± 0,5 (**)	± 5 (**)	± 0,5 (**)		
Thickness Spessore	ISO 10545-2	± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme
Straightness of sides Rettilinearità degli spigoli		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.		
Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.		
Surface flatness Planarità	ISO 10545-2	e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme
		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.		
		E _v ≤ 0,5% Individual Maximum 0,6% E _v ≤ 0,5% Valore massimo singolo 0,6%				
Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Requirement ANSI A137.1 Water absorption max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %
ASTM C373-18				≤ 0,1 %	≤ 0,1 %	
Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1000 N
Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²
Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-
Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55
Mohs hardness Durezza Mohs	EN 101	-			5	5
Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste
Bond strenght / adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)
Reaction to fire Reazione al fuoco	-	Class A1 or A1 _s Classe A1 oppure A1 _s			A1 - A1 _s	A1 - A1 _s
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali	ISO 10545-13	Declared Class Classe dichiarata			LA	LA
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			-	-
Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5
Shood Ramp Test Metodo della rampa "calzato"	EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			N.C.	N.C.
Barefoot Ramp Test Metodo della rampa a piedi nudi	EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			0	0
Pendulum Friction Test Metodo del Pendolo	AS 4586	PTV ≥ 36 classifies the surface as "low slip risk"			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet
	LINE EN 16165 ANNEX C (EX LINE 41901 EX2017)	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			-	-
	Declared value Valore dichiarato	-			-	-
Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			Dry DCOF ≥ 0,42	Dry DCOF ≥ 0,42

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
 (**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
 (***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilinearità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 (****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 (v) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work size (WS). Deviazione massima ammissibile della curvatura dal centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
 (w) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 (x) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
 (1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
 (2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
 (3) However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers guidelines and recommendations.*

Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Certifications

Company / Azienda: Product / Prodotto: Product "Declarations" / Dichiarazioni di prodotto:

Certifications for export to international markets*

* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.
 (1) Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2023
 (2) Si consiglia la consultazione della pagina - On vous conseillie de vous connecter à: https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32
 (3) Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it



Ceramiche Atlas Concorde S.p.A.
Via Canaletto 141
41042 Spezzano di Fiorano (MO) - Italia

Atlas Concorde USA, Inc.
117 Seaboard Lane - Suite F170
Franklin, TN 37067 - USA

Atlas Concorde Russia
Business centre "Meliora Place"
Prospekt Mira 6
129090 Moscow - Russia

Atlas Concorde Middle East, Fz-Llc
Building 8 - Suite 106
D3 Dubai Design District
United Arab Emirates

atlasconcorde.com

Copyright 2023 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) - Italia)
September 2023