



● **Naturale Rettificato**
Unpolished Rectified
Matt Rektifiziert
Naturel Rectifié

⓪ **Lucidato Rettificato**
Half Polished Rectified
Halbpoliert Rektifiziert
Semi-poli Rectifié

● **Strutturato Rettificato**
Textured Rectified
Strukturiert Rektifiziert
Structuré Rectifié

● **Rilievi**
● **Naturale Rettificato**
Unpolished Rectified
Matt Rektifiziert
Naturel Rectifié



Pietra Sabbiosa



Pietra Sabbiosa **Avorio**



Pietra Sabbiosa **Beige**



Pietra Sabbiosa **Grigio**



Pietra Sabbiosa **Fango**



Pietra Sabbiosa **Grafite**

SUPERFICI SURFACES OBERFLÄCHEN SURFACES

- **Naturale Rettificato**
Unpolished Rectified
Matt Rektifiziert
Naturel Rectifié
- ◐ **Lucidato Rettificato**
Half Polished Rectified
Halbpoliert Rektifiziert
Semi-Poli Rectifié
- **Strutturato Rettificato**
Textured Rectified
Strukturiert Rektifiziert
Structuré Rectifié
- **Strutturato Rettificato gresx2**
Textured Rectified
Strukturiert Rektifiziert
Structuré Rectifié

gres++
HI-TECH INSIDE

Lineare ad Elle
30x60x5 - 12"x24"x2" ●

60x120 - 24"x48" ● ◐ ●

Angolare ad Elle DX
30x60x5 - 12"x24"x2" ●

60x60 - 24"x24" ● ◐ ●

75x149,7 - 30"x59" ● ◐ ●

Battiscopa
7,5x60 - 3"x24" ● ◐

75x75 - 30"x30" ● ◐ ●

30x60 - 12"x24" ● ◐

Mosaico Vienna
in fogli 40,5x35,5 - 16"x14" ●

Angolare ad Elle SX
30x60x5 - 12"x24"x2" ●

60,4x90,6
24"x36" ≠ 20 mm ●

Mosaico Lisca
in fogli 25,8x30 - 10"x12" ●

Lisca 10x50 - 4"x20" ●

Rilievi
30x60 - 12"x24" ●

Elemento Bordo Tondo
30x60,4 - 12"x24" ≠ 20 mm ●

Elemento Bordo Becco
30x60,4 - 12"x24" ≠ 20 mm ●

gresx2
OUTDOOR DESIGN



Mosaico Lisca Avorio Beige Fango
in fogli 25,8x30 - 10"x12"



Mosaico Lisca Avorio Grigio Grafite
in fogli 25,8x30 - 10"x12"



Mosaico Vienna Avorio Beige
in fogli 40,5x35,5 - 16"x14"



Mosaico Vienna Avorio Fango
in fogli 40,5x35,5 - 16"x14"



Mosaico Vienna Grigio Grafite
in fogli 40,5x35,5 - 16"x14"








Beige 60x60 - 24"x24" Naturale Rettificato
Mosaico Lisca Avorio Beige Fango Naturale Rettificato


Formati	Colori	Superfici			Scatole			Pallet			±
Pietra Sabbiosa gres++		Naturale Rettificato Unpolished Rectified Matt Rektifiziert Naturel Rectifié	Lucidato Rettificato Half Polished Rectified Halbpoliert Rektifiziert Semi-Poli Rectifié	Strutturato Rettificato Textured Rectified Strukturiert Rektifiziert Structuré Rectifié	Pz/Sc Pcs/Box Stck/Kart. Pcs/Boîte	Mq/Sc Sqm/Box Qm/Kart. M²/Boîte	Kg/Sc Kg/Box Kg/Kart. Kg/Boîte	Colli Boxes Kart Boîtes	Mq Sqm Qm M²	Kg Kg Kg Kg	Spessore Thickness Stärke Épaisseur
	Avorio Beige Grigio Fango Grafite	SA711R SA712R SA713R SA718R SA717R	SA711LR SA712LR SA713LR SA718LR SA717LR	SA711SR SA712SR SA713SR SA718SR SA717SR	•	1,1227	26	28	31,4356	754	10 mm
					••	1,1227	26	24	26,9448	650	10 mm
	Avorio Beige Grigio Fango Grafite	SA751R SA752R SA753R SA758R SA757R	SA751LR SA752LR SA753LR SA758LR SA757LR	SA751SR SA752SR SA753SR SA758SR SA757SR	2	1,125	25,5	42	47,25	1081	10 mm
	Avorio Beige Grigio Fango Grafite	SA621R SA622R SA623R SA628R SA627R	SA621LR SA622LR SA623LR SA628LR SA627LR	SA621SR SA622SR SA623SR SA628SR SA627SR	2	1,44	32	35	50,40	1130	10 mm
	Avorio Beige Grigio Fango Grafite	SA601R SA602R SA603R SA608R SA607R	SA601LR SA602LR SA603LR SA608LR SA607LR	SA601SR SA602SR SA603SR SA608SR SA607SR	4	1,44	31,5	30	43,20	955	10 mm
	Avorio Beige Grigio Fango Grafite	SA361R SA362R SA363R SA368R SA367R	SA361LR SA362LR SA363LR SA368LR SA367LR		6	1,08	23,5	40	43,20	950	10 mm
	Avorio Beige Grigio Fango Grafite	SAS361R SAS362R SAS363R SAS368R SAS367R			6	1,08	23,5	40	43,20	950	10 mm
	Avorio Beige Grigio Fango Grafite	SA151R SA152R SA153R SA158R SA157R			16	0,8	17,5	40	32	710	10 mm
	Avorio Beige Fango Avorio Grigio Grafite	SA128MR SA137MR			Sheets 6	0,4644	10,2				


* Da utilizzare esclusivamente a rivestimento - To be used only on walls
Nur zur Verkleidung verwendbare - Exclusivement destinés à un revêtement mural

• DISPONIBILE FINO AD ESAURIMENTO - AVAILABLE WHILE STOCKS LAST - VERFÜGBAR SOLANGE DER VORRAT REICHT - DISPONIBLE JUSQU'À LA FIN DES STOCKS

•• NUOVA PALETTIZZAZIONE - NEW PALLETIZATION - NEUE PALETTIERUNG - NOUVELLE PALETTISATION

Formati	Colori	Superfici	Scatole			Pallet			≠
Pietra Sabbiosa gres++									
 MOSAICO VIENNA In fogli 40,5x35,5 da 49 pezzi. In 40,5x35,5 - 16"x14" sheets made up of 49 pieces. Auf Blatt 40,5x35,5 mit 49 Stück. Sur feuille tramée de 40,5x35,5 de 49 pièces.	Avorio Fango Beige Avorio Grigio Grafite	Naturale Rettificato Unpolished Rectified Matt Rektifiziert Naturel Rectifié Lucidato Rettificato Half Polished Rectified Halbpoliert Rektifiziert Semi-Poli Rectifié	Pz/Sc Pcs/Box Stck/Kart. Pcs/Boîte	Mq/Sc Sqm/Box Qm/Kart. M²/Boîte	Kg/Sc Kg/Box Kg/Kart. Kg/Boîte	Colli Boxes Kart Boîtes	Mq Sqm Qm M²	Kg Kg Kg Kg	Spessore Thickness Stärke Épaisseur
		SA18M2R							
		SA21M2R	Sheets 2	0,2874	5				
		SA37M2R							
 7,5x60 - 3"x24" Battiscopa - Bullnose Sockel - Plinthe	Avorio Beige Grigio Fango Grafite	SAB601R SAB602R SAB603R SAB608R SAB607R	22	MI 13,2	22				
 30x60x5 - 12"x24"x2" Lineare ad Elle - L-shaped Element L-Form Element - Élément linéaire en "L"	Avorio Beige Grigio Fango Grafite	SA1GLR SA2GLR SA3GLR SA8GLR SA7GLR	4		20				
 30x60x5 - 12"x24"x2" DX Angolare ad Elle - L-shaped Corner Element L-Form Eckelement - Élément d'angle en "L"	Avorio Beige Grigio Fango Grafite	SA1GADR SA2GADR SA3GADR SA8GADR SA7GADR	2		11				
 30x60x5 - 12"x24"x2" SX Angolare ad Elle - L-shaped Corner Element L-Form Eckelement - Élément d'angle en "L"	Avorio Beige Grigio Fango Grafite	SA1GASR SA2GASR SA3GASR SA8GASR SA7GASR	2		11				

Formati	Colori	Superfici	Scatole			Pallet			≠
Pietra Sabbiosa gresX2 Pag. 571									
 60,4x90,6 - 24"x36" ≈ 20 mm	Avorio Beige Grigio	Strutturato Rettificato Textured Rectified Strukturisiert Rektifiziert Structuré Rectifié	Pz/Sc Pcs/Box Stck/Kart. Pcs/Boîte	Mq/Sc Sqm/Box Qm/Kart. M²/Boîte	Kg/Sc Kg/Box Kg/Kart. Kg/Boîte	Colli Boxes Kart Boîtes	Mq Sqm Qm M²	Kg Kg Kg Kg	Spessore Thickness Stärke Épaisseur
		2SA91SR 2SA92SR 2SA93SR	1	0,547	25	48	26,256	1210	20 mm
 30x60,4 - 12"x24" ≈ 20 mm Elemento Bordo Tondo - Rounded edge element Element mit runder Kante - Élément de rebord rond	Avorio Beige Grigio	2SA61BT 2SA62BT 2SA63BT	2		16,1				20 mm
 30x60,4 - 12"x24" ≈ 20 mm Elemento Bordo Becco - Half bullnose element Element mit Eckabrundung - Élément arrondi à 1/4	Avorio Beige Grigio	2SA61BB 2SA62BB 2SA63BB	2		16,1				20 mm



gres++ HI-TECH INSIDE **gresX2** OUTDOOR DESIGN

Gres Porcellanato Porcelain Stoneware Feinsteinzeug Grès Cérame EN 14411:2012 ANNEX G GROUP Bla UGL

(V2): Piastrelle con lieve variazione di tono e disegno
Tiles with slight shade and aspect variation
Fliesen mit leicht unterschiedlichen Tonalitäten und Muster
Carreaux avec faible différence de nuance et structure

- Pavimento** - Floor coverings
Bodenbeläge - Sol
- Rivestimento** - Wall coverings
Wandbeläge - Faïence
- Residenziale** - Residential areas
Wohngebiete - Zones résidentielles
- Esterno (Strutturato)**
Outdoor areas - Außenbereiche
Espaces extérieurs
- Traffico leggero**
Light traffic areas - Geringe Begehungsfrequenz
Zones à trafic léger
- Traffico pesante (Naturale - Strutturato)**
Heavy traffic areas - Starke Begehungsfrequenz
Zones à trafic intense
- Zone limitrofe a piscina (Strutturato)**
Swimming pool areas - Schwimmbadbereich
Abords de piscines
- Rivestimenti esterni / Pareti ventilate (10 mm)**
External cladding / Ventilated facade - Außenverkleidung / Hinterlüftete Fassaden
Murs extérieurs / Façades ventilées

DIGITAL HD 3D **Fino a 100 grafiche differenti**
Up to 100 different graphics
Jusqu'à 100 graphiques différentes
Bis zu 100 verschiedene Grafiken

WE FEEL GREEN **> 20% Elevato contenuto di materiale riciclato**
High content of recycled material Hoher Anteil an Recyclelten Rohstoffen Haute teneur en matériaux recyclés

Pag. 629 **eco+** THE GREEN SOUL OF PORCELAIN STONWARE

Resistente al gelo **Naturale** **Strutturato** **Strutturato** **Naturale Strutturato** **Naturale** **Strutturato** **gresX2** Pag. 644

B.C.R.A. DCOF DCOF DRY: > 0,40 WET: > 0,40 WET: ≥ 0.42 WET: ≥ 0.55

* DCOF Test su superficie Lucidato disponibile su richiesta. - DCOF Test on Half Polished surface available on request.
DCOF-Test auf Halbpoliert Oberfläche auf Anfrage. - RESISTENTE DCOF Test sur surface Semi-Poli disponible sur demande.